LETTER OF INDEMNITY <SP962>

We, as shipper, hereby certify and guarantee that the mentioned cargo meet the requirements of SP962 in IMDG code. (SP962) Vehicles or equipment powered by internal combustion engines, fuel cells or batteries not meeting the conditions of special provision 961 shall be assigned to class 9 and shall meet the following requirements: 1. Vehicles and equipment shall not show signs of leakage from batteries, engines, fuel cells, compressed gas cylinders or accumulators, or fuel tank(s) when applicable; 2. For flammable liquid powered vehicles and equipment, the fuel tank(s) containing the flammable liquid shall not be more than one-fourth full and in any case the flammable liquid shall not exceed 250 L; 3. For flammable gas powered vehicles and equipment, the fuel shut-off valve of the fuel tank(s) shall be securely closed; 4. Installed batteries shall be protected from damage, short circuit, and accidental activation during transport. Lithium ion or lithium metal batteries shall meet the requirements of the United Nations Manual of Tests and Criteria, Part III, subsection 38.3, unless otherwise approved by the competent authority; 5. Dangerous goods required for the operation of the vehicle or equipment such as fire extinguishers, compressed gas accumulators, airbag inflators, etc., shall be securely mounted in the vehicle or equipment;. (The marking, labelling and placarding provisions of this Code shall not apply.)	Messe	r. SITC CONTAINER LINES C	O., LTD/新海丰集装箱运输有限公司	引 Date/日期 <u>:</u>
Shipper Place of Loading : Place of Discharge : Place of Discharge : Place of Discharge : Place of Delivery : Descreption of Goods : Booking No. : Dear Sirs, We, as shipper, hereby certify and guarantee that the mentioned cargo meet the requirements of SP962 in IMDG code. (SP962) Vehicles or equipment powered by internal combustion engines, fuel cells or batteries not meeting the conditions of special provision 961 shall be assigned to class 9 and shall meet the following requirements: 1. Vehicles and equipment shall not show signs of leakage from batteries, engines, fuel cells, compressed gas cylinders or accumulators, or fuel tank(s) when applicable; 2. For flammable liquid powered vehicles and equipment, the fuel tank(s) containing the flammable liquid shall not be more than one-fourth full and in any case the flammable liquid shall not exceed 250 L; 3. For flammable gas powered vehicles and equipment, the fuel shut-off valve of the fuel tank(s) shall be securely closed; 4. Installed batteries shall be protected from damage, short circuit, and accidental activation during transport. Lithium ion or lithium metal batteries shall meet the requirements of the United Nations Manual of Tests and Criteria, Part III, subsection 38.3, unless otherwise approved by the competent authority; 5. Dangerous goods required for the operation of the vehicle or equipment such as fire extinguishers, compressed gas accumulators, airbag inflators, etc., shall be securely mounted in the vehicle or equipment. (The marking, labelling and placarding provisions of this Code shall not apply.)				
Place of Discharge : Place of Discharge : Place of Discharge : Place of Discharge : Place of Delivery : Descreption of Goods : Booking No. : Dear Sirs, We, as shipper, hereby certify and guarantee that the mentioned cargo meet the requirements of SP962 in IMDG code. (SP962) Vehicles or equipment powered by internal combustion engines, fuel cells or batteries not meeting the conditions of special provision 961 shall be assigned to class 9 and shall meet the following requirements: 1. Vehicles and equipment shall not show signs of leakage from batteries, engines, fuel cells, compressed gas cylinders or accumulators, or fuel tank(s) when applicable; 2. For flammable liquid powered vehicles and equipment, the fuel tank(s) containing the flammable liquid shall not be more than one-fourth full and in any case the flammable liquid shall not exceed 250 L; 3. For flammable gas powered vehicles and equipment, the fuel shut-off valve of the fuel tank(s) shall be securely closed; 4. Installed batteries shall be protected from damage, short circuit, and accidental activation during transport. Lithium ion or lithium metal batteries shall meet the requirements of the United Nations Manual of Tests and Oriteria, Part III, subsection 38.3, unless otherwise approved by the competent authority; 5. Dangerous goods required for the operation of the vehicle or equipment such as fire extinguishers, compressed gas accumulators, airbag inflators, etc., shall be securely mounted in the vehicle or equipment;. (The marking, labelling and placarding provisions of this Code shall not apply.)		Vessel / Voyage No.	:	
Place of Discharge Place of Delivery Place of Goods Booking No. Dear Sirs, We, as shipper, hereby certify and guarantee that the mentioned cargo meet the requirements of SP962 in IMDG code. (SP962) Vehicles or equipment powered by internal combustion engines, fuel cells or batteries not meeting the conditions of special provision 961 shall be assigned to class 9 and shall meet the following requirements: 1. Vehicles and equipment shall not show signs of leakage from batteries, engines, fuel cells, compressed gas cylinders or accumulators, or fuel tank(s) when applicable; 2. For flammable liquid powered vehicles and equipment, the fuel tank(s) containing the flammable liquid shall not be more than one-fourth full and in any case the flammable liquid shall not exceed 250 L; 3. For flammable gas powered vehicles and equipment, the fuel shut-off valve of the fuel tank(s) shall be securely closed; 4. Installed batteries shall be protected from damage, short circuit, and accidental activation during transport. Lithium ion or lithium metal batteries shall meet the requirements of the United Nations Manual of Tests and Criteria, Part III, subsection 38.3, unless otherwise approved by the competent authority; 5. Dangerous goods required for the operation of the vehicle or equipment such as fire extinguishers, compressed gas accumulators, airbag inflators, etc., shall be securely mounted in the vehicle or equipment;. (The marking, labelling and placarding provisions of this Code shall not apply.)		Shipper	:	
Place of Delivery Descreption of Goods Booking No. Dear Sirs, We, as shipper, hereby certify and guarantee that the mentioned cargo meet the requirements of SP962 in IMDG code. (SP962) Vehicles or equipment powered by internal combustion engines, fuel cells or batteries not meeting the conditions of special provision 961 shall be assigned to class 9 and shall meet the following requirements: 1. Vehicles and equipment shall not show signs of leakage from batteries, engines, fuel cells, compressed gas cylinders or accumulators, or fuel tank(s) when applicable; 2. For flammable liquid powered vehicles and equipment, the fuel tank(s) containing the flammable liquid shall not be more than one-fourth full and in any case the flammable liquid shall not exceed 250 L; 3. For flammable gas powered vehicles and equipment, the fuel shut-off valve of the fuel tank(s) shall be securely closed; 4. Installed batteries shall be protected from damage, short circuit, and accidental activation during transport. Lithium ion or lithium metal batteries shall meet the requirements of the United Nations Manual of Tests and Criteria, Part III, subsection 38.3, unless otherwise approved by the competent authority; 5. Dangerous goods required for the operation of the vehicle or equipment such as fire extinguishers, compressed gas accumulators, airbag inflators, etc., shall be securely mounted in the vehicle or equipment:. (The marking, labelling and placarding provisions of this Code shall not apply.)		Place of Loading	:	
Descreption of Goods Booking No. Dear Sirs, We, as shipper, hereby certify and guarantee that the mentioned cargo meet the requirements of SP962 in IMDG code. (SP962> Vehicles or equipment powered by internal combustion engines, fuel cells or batteries not meeting the conditions of special provision 961 shall be assigned to class 9 and shall meet the following requirements: 1. Vehicles and equipment shall not show signs of leakage from batteries, engines, fuel cells, compressed gas cylinders or accumulators, or fuel tank(s) when applicable; 2. For flammable liquid powered vehicles and equipment, the fuel tank(s) containing the flammable liquid shall not exceed 250 L; 3. For flammable gas powered vehicles and equipment, the fuel shut-off valve of the fuel tank(s) shall be securely closed; 4. Installed batteries shall be protected from damage, short circuit, and accidental activation during transport. Lithium ion or lithium metal batteries shall meet the requirements of the United Nations Manual of Tests and Criteria, Part III, subsection 38.3, unless otherwise approved by the competent authority; 5. Dangerous goods required for the operation of the vehicle or equipment such as fire extinguishers, compressed gas accumulators, airbag inflators, etc., shall be securely mounted in the vehicle or equipment; (The marking, labelling and placarding provisions of this Code shall not apply.)		Place of Discharge	:	
Booking No. : Dear Sirs, We, as shipper, hereby certify and guarantee that the mentioned cargo meet the requirements of SP962 in IMDG code. <sp962> Vehicles or equipment powered by internal combustion engines, fuel cells or batteries not meeting the conditions of special provision 961 shall be assigned to class 9 and shall meet the following requirements: 1. Vehicles and equipment shall not show signs of leakage from batteries, engines, fuel cells, compressed gas cylinders or accumulators, or fuel tank(s) when applicable; 2. For flammable liquid powered vehicles and equipment, the fuel tank(s) containing the flammable liquid shall not be more than one-fourth full and in any case the flammable liquid shall not exceed 250 L; 3. For flammable gas powered vehicles and equipment, the fuel shut-off valve of the fuel tank(s) shall be securely closed; 4. Installed batteries shall be protected from damage, short circuit, and accidental activation during transport. Lithium ion or lithium metal batteries shall meet the requirements of the United Nations Manual of Tests and Criteria, Part III, subsection 38.3, unless otherwise approved by the competent authority; 5. Dangerous goods required for the operation of the vehicle or equipment such as fire extinguishers, compressed gas accumulators, airbag inflators, etc., shall be securely mounted in the vehicle or equipment;. (The marking, labelling and placarding provisions of this Code shall not apply.)</sp962>		Place of Delivery	:	
Dear Sirs, We, as shipper, hereby certify and guarantee that the mentioned cargo meet the requirements of SP962 in IMDG code. (SP962) Vehicles or equipment powered by internal combustion engines, fuel cells or batteries not meeting the conditions of special provision 961 shall be assigned to class 9 and shall meet the following requirements: 1. Vehicles and equipment shall not show signs of leakage from batteries, engines, fuel cells, compressed gas cylinders or accumulators, or fuel tank(s) when applicable; 2. For flammable liquid powered vehicles and equipment, the fuel tank(s) containing the flammable liquid shall not be more than one-fourth full and in any case the flammable liquid shall not exceed 250 L; 3. For flammable gas powered vehicles and equipment, the fuel shut-off valve of the fuel tank(s) shall be securely closed; 4. Installed batteries shall be protected from damage, short circuit, and accidental activation during transport. Lithium ion or lithium metal batteries shall meet the requirements of the United Nations Manual of Tests and Criteria, Part III, subsection 38.3, unless otherwise approved by the competent authority; 5. Dangerous goods required for the operation of the vehicle or equipment such as fire extinguishers, compressed gas accumulators, airbag inflators, etc., shall be securely mounted in the vehicle or equipment;. (The marking, labelling and placarding provisions of this Code shall not apply.)		Descreption of Goods	:	
We, as shipper, hereby certify and guarantee that the mentioned cargo meet the requirements of SP962 in IMDG code. (SP962) Vehicles or equipment powered by internal combustion engines, fuel cells or batteries not meeting the conditions of special provision 961 shall be assigned to class 9 and shall meet the following requirements: 1. Vehicles and equipment shall not show signs of leakage from batteries, engines, fuel cells, compressed gas cylinders or accumulators, or fuel tank(s) when applicable; 2. For flammable liquid powered vehicles and equipment, the fuel tank(s) containing the flammable liquid shall not be more than one-fourth full and in any case the flammable liquid shall not exceed 250 L; 3. For flammable gas powered vehicles and equipment, the fuel shut-off valve of the fuel tank(s) shall be securely closed; 4. Installed batteries shall be protected from damage, short circuit, and accidental activation during transport. Lithium ion or lithium metal batteries shall meet the requirements of the United Nations Manual of Tests and Criteria, Part III, subsection 38.3, unless otherwise approved by the competent authority; 5. Dangerous goods required for the operation of the vehicle or equipment such as fire extinguishers, compressed gas accumulators, airbag inflators, etc., shall be securely mounted in the vehicle or equipment;. (The marking, labelling and placarding provisions of this Code shall not apply.)		Booking No.	:	
of SP962 in IMDG code. (SP962> Vehicles or equipment powered by internal combustion engines, fuel cells or batteries not meeting the conditions of special provision 961 shall be assigned to class 9 and shall meet the following requirements: 1. Vehicles and equipment shall not show signs of leakage from batteries, engines, fuel cells, compressed gas cylinders or accumulators, or fuel tank(s) when applicable; 2. For flammable liquid powered vehicles and equipment, the fuel tank(s) containing the flammable liquid shall not be more than one-fourth full and in any case the flammable liquid shall not exceed 250 L; 3. For flammable gas powered vehicles and equipment, the fuel shut-off valve of the fuel tank(s) shall be securely closed; 4. Installed batteries shall be protected from damage, short circuit, and accidental activation during transport. Lithium ion or lithium metal batteries shall meet the requirements of the United Nations Manual of Tests and Criteria, Part III, subsection 38.3, unless otherwise approved by the competent authority; 5. Dangerous goods required for the operation of the vehicle or equipment such as fire extinguishers, compressed gas accumulators, airbag inflators, etc., shall be securely mounted in the vehicle or equipment;. (The marking, labelling and placarding provisions of this Code shall not apply.)	Dear S	irs,		
Vehicles or equipment powered by internal combustion engines, fuel cells or batteries not meeting the conditions of special provision 961 shall be assigned to class 9 and shall meet the following requirements: 1. Vehicles and equipment shall not show signs of leakage from batteries, engines, fuel cells, compressed gas cylinders or accumulators, or fuel tank(s) when applicable; 2. For flammable liquid powered vehicles and equipment, the fuel tank(s) containing the flammable liquid shall not be more than one-fourth full and in any case the flammable liquid shall not exceed 250 L; 3. For flammable gas powered vehicles and equipment, the fuel shut-off valve of the fuel tank(s) shall be securely closed; 4. Installed batteries shall be protected from damage, short circuit, and accidental activation during transport. Lithium ion or lithium metal batteries shall meet the requirements of the United Nations Manual of Tests and Criteria, Part III, subsection 38.3, unless otherwise approved by the competent authority; 5. Dangerous goods required for the operation of the vehicle or equipment such as fire extinguishers, compressed gas accumulators, airbag inflators, etc., shall be securely mounted in the vehicle or equipment;. (The marking, labelling and placarding provisions of this Code shall not apply.)			rantee that the mentioned cargo mee	t the requirements
compressed gas cylinders or accumulators, or fuel tank(s) when applicable; 2. For flammable liquid powered vehicles and equipment, the fuel tank(s) containing the flammable liquid shall not be more than one-fourth full and in any case the flammable liquid shall not exceed 250 L; 3. For flammable gas powered vehicles and equipment, the fuel shut-off valve of the fuel tank(s) shall be securely closed; 4. Installed batteries shall be protected from damage, short circuit, and accidental activation during transport. Lithium ion or lithium metal batteries shall meet the requirements of the United Nations Manual of Tests and Criteria, Part III, subsection 38.3, unless otherwise approved by the competent authority; 5. Dangerous goods required for the operation of the vehicle or equipment such as fire extinguishers, compressed gas accumulators, airbag inflators, etc., shall be securely mounted in the vehicle or equipment;. (The marking, labelling and placarding provisions of this Code shall not apply.)	Vehicle the co	es or equipment powered by into nditions of special provision 961	-	-
shall not be more than one-fourth full and in any case the flammable liquid shall not exceed 250 L; 3. For flammable gas powered vehicles and equipment, the fuel shut-off valve of the fuel tank(s) shall be securely closed; 4. Installed batteries shall be protected from damage, short circuit, and accidental activation during transport. Lithium ion or lithium metal batteries shall meet the requirements of the United Nations Manual of Tests and Criteria, Part III, subsection 38.3, unless otherwise approved by the competent authority; 5. Dangerous goods required for the operation of the vehicle or equipment such as fire extinguishers, compressed gas accumulators, airbag inflators, etc., shall be securely mounted in the vehicle or equipment;. (The marking, labelling and placarding provisions of this Code shall not apply.) Your faithfully.			<u> </u>	•
shall be securely closed; 4. Installed batteries shall be protected from damage, short circuit, and accidental activation during transport. Lithium ion or lithium metal batteries shall meet the requirements of the United Nations Manual of Tests and Criteria, Part III, subsection 38.3, unless otherwise approved by the competent authority; 5. Dangerous goods required for the operation of the vehicle or equipment such as fire extinguishers, compressed gas accumulators, airbag inflators, etc., shall be securely mounted in the vehicle or equipment;. (The marking, labelling and placarding provisions of this Code shall not apply.) Your faithfully.				-
during transport. Lithium ion or lithium metal batteries shall meet the requirements of the United Nations Manual of Tests and Criteria, Part III, subsection 38.3, unless otherwise approved by the competent authority; 5. Dangerous goods required for the operation of the vehicle or equipment such as fire extinguishers, compressed gas accumulators, airbag inflators, etc., shall be securely mounted in the vehicle or equipment;. (The marking, labelling and placarding provisions of this Code shall not apply.) Your faithfully.			s and equipment, the fuel shut-off val	ve of the fuel tank(s)
compressed gas accumulators, airbag inflators, etc., shall be securely mounted in the vehicle or equipment;. (The marking, labelling and placarding provisions of this Code shall not apply.) Your faithfully.	durir Natio	ng transport. Lithium ion or lithion ons Manual of Tests and Criteri	um metal batteries shall meet the req	uirements of the United
Your faithfully.	com	pressed gas accumulators, airba	•	-
	(The	e marking, labelling and placardii	ng provisions of this Code shall not ap	oply.)
		Volum foithfulli		
Signature/负责人签名 Company chon/公司盖章		rour raitrifully.		
		Signature/负责人签名		Company chop/公司盖章